

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 8/4/2020 Version: 1.0

SECTION 1: Identification of the s	substance/mixture and of the company/undertakin	g
1.1. Product identifier		
Product form Substance name EC-No. CAS-No. Product code	: Substance : PINE OIL, SIBERIA : 294-351-9 : 91697-89-1 : 7282	
1.2. Relevant identified uses of the s	ubstance or mixture and uses advised against	
1.2.1. Relevant identified uses		
Main use category	: Industrial use	
1.2.2. Uses advised against		
Restrictions on use	: Ultimate consumer use	
1.3. Details of the supplier of the safe	ety data sheet	
Manufacturer/Supplier FROMA ESANS ve AROMA SANAYI TICAR Orhangazi Mah.Isiso San. Sit. 5.Yol Sok.No: 34538 Esenyurt-Istanbul-TR kalite@froma.com.tr Further information obtainable from: Quality A	23-25-27	
1.4. Emergency telephone number		
Emergency number (Mon - Fri, 08:30 - 18:30 GMT+3)	: +90 212 623 02 90	
SECTION 2: Hazards identificatio	n	
2.1. Classification of the substance of	or mixture	
Classification according to Regulation (E	C) No. 1272/2008 [CLP]	
Flammable liquids, Category 3	H226	
Skin corrosion/irritation, Category 2	H315	
Serious eye damage/eye irritation, Category		
Skin sensitisation, Category 1	H317	
Hazardous to the aquatic environment — Ac		
Hazardous to the aquatic environment — Ch Full text of H statements : see section 16	ronic Hazard, Category 1 H410	
Adverse physicochemical, human health	and environmental effects	
	ritation. May cause an allergic skin reaction. Causes serious eye irr	itation. Very toxic to aquatic life with
2.2. Label elements		
Labelling according to Regulation (EC) No	o. 1272/2008 [CLP]	
Hazard pictograms (CLP)		
Signal word (CLP)	GHS02 GHS07 GHS09 : Warning	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP)	: H226 - Flammable liquid and vapour.
	H315 - Causes skin irritation.
	H317 - May cause an allergic skin reaction.
	H319 - Causes serious eye irritation.
	H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	No smoking.
	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.
	P321 - Specific treatment (see supplemental first aid instruction on this label).
	P391 - Collect spillage.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	: Siberian Pine Oil
CAS-No.	: 91697-89-1
EC-No.	: 294-351-9

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Fir needle oil, Siberian	(CAS-No.) 91697-89-1 (EC-No.) 294-351-9	100	
laevo-Bornyl acetate	(CAS-No.) 5655-61-8 (EC-No.) 227-101-4	≥ 25 – < 50	Not classified
Camphene	(CAS-No.) 79-92-5 (EC-No.) 201-234-8	≥ 10 – < 25	Flam. Sol. 2, H228 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
alpha-Pinene	(CAS-No.) 80-56-8 (EC-No.) 201-291-9	≥ 10 – < 25	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
delta-3-Carene	(CAS-No.) 13466-78-9 (EC-No.) 236-719-3	≥5-<10	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

d-Limonene	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7	≥ 5 – < 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
beta-Pinene	(CAS-No.) 127-91-3 (EC-No.) 204-872-5	≥ 1 – < 2.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Borneol	(CAS-No.) 507-70-0 (EC-No.) 208-080-0	≥ 1 – < 2.5	Flam. Sol. 1, H228 Skin Irrit. 2, H315 Aquatic Chronic 2, H411
beta-Caryophyllene	(CAS-No.) 87-44-5 (EC-No.) 201-746-1	≥ 1 – < 2.5	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 4, H413
IbetaBisabolene	(CAS-No.) 495-61-4	≥ 0.1 – < 1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
Myrcene	(CAS-No.) 123-35-3 (EC-No.) 204-622-5	≥ 0.1 – < 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Geranyl acetate	(CAS-No.) 105-87-3 (EC-No.) 203-341-5	≥ 0.1 – < 1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Geraniol	(CAS-No.) 106-24-1 (EC-No.) 203-377-1	≥ 0.1 – < 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin <mark>Sens. 1B</mark> , H317
Lauryl alcohol	(CAS-No.) 112-53-8 (EC-No.) 203-982-0	≥ 0.1 – < 1	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

3.2. Mixtures

Not applicable

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	 Remove person to fresh air and keep comfortable for breathing. If the victim is unconscious Place the affected person in the recovery position. Allow affected person to breathe fresh air. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Wash off with soap and plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of contact, immediately rinse eyes with plenty of water for at least 15 minutes.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

Safety Data Sheet

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction. Symptoms/effects after eye contact : Eye irritation. 4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media S.2. Special hazards arising from the substance or mixture Fire hazard Hazardous decomposition products in case of fire 5.3. Advice for firefighters Firefighting instructions Protection during firefighting Wear fire/filame resistant/retardant clothing. Do not attem protective equipment. Self-contained breathing apparatus Evacuate unnecessary personnel. Other information : Do not allow run-off from fire fighting to enter drains or weight of the set of the se	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media : Dry powder. Carbon dioxide. For large fire: Water spray. Unsuitable extinguishing media : Strong water jet. 5.2. Special hazards arising from the substance or mixture Fire hazard : Hazardous decomposition products in case of fire : Trefighting instructions : Wear fire/flame resistant/retardant clothing. Do not attem protective equipment. Self-contained breathing apparatus Evacuate unnecessary personnel. Other information :	
SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media Suitable extinguishing media Strong water jet. 5.2. Special hazards arising from the substance or mixture Fire hazard Hazardous decomposition products in case of fire S.3. Advice for firefighters Firefighting instructions Protection during firefighting Substructions Wear fire/flame resistant/retardant clothing. Do not attem protective equipment. Self-contained breathing apparatus Evacuate unnecessary personnel. Other information Do not allow run-off from fire fighting to enter drains or water	
5.1. Extinguishing media : Dry powder. Carbon dioxide. For large fire: Water spray. Suitable extinguishing media : Strong water jet. 5.2. Special hazards arising from the substance or mixture Fire hazard : Flammable liquid and vapour. Hazardous decomposition products in case of fire : Toxic fumes may be released. fume. 5.3. Advice for firefighters : Move containers away from the fire area if this can be do water spray or fog for cooling exposed containers. Protection during firefighting : Wear fire/flame resistant/retardant clothing. Do not attem protective equipment. Self-contained breathing apparatus Evacuate unnecessary personnel. Other information : Do not allow run-off from fire fighting to enter drains or water	
5.1. Extinguishing media : Dry powder. Carbon dioxide. For large fire: Water spray. Suitable extinguishing media : Strong water jet. 5.2. Special hazards arising from the substance or mixture Fire hazard : Flammable liquid and vapour. Hazardous decomposition products in case of fire : Toxic fumes may be released. fume. 5.3. Advice for firefighters : Move containers away from the fire area if this can be do water spray or fog for cooling exposed containers. Protection during firefighting : Wear fire/flame resistant/retardant clothing. Do not attem protective equipment. Self-contained breathing apparatus Evacuate unnecessary personnel. Other information : Do not allow run-off from fire fighting to enter drains or water	
Suitable extinguishing media : Dry powder. Carbon dioxide. For large fire: Water spray. Suitable extinguishing media : Strong water jet. S.2. Special hazards arising from the substance or mixture Fire hazard : Flammable liquid and vapour. Hazardous decomposition products in case of fire : Toxic fumes may be released. fume. S.3. Advice for firefighters : Move containers away from the fire area if this can be do water spray or fog for cooling exposed containers. Protection during firefighting : Wear fire/flame resistant/retardant clothing. Do not attem protective equipment. Self-contained breathing apparatus Evacuate unnecessary personnel. Other information : Do not allow run-off from fire fighting to enter drains or water	
Unsuitable extinguishing media : Strong water jet. 5.2. Special hazards arising from the substance or mixture Fire hazard : Flammable liquid and vapour. Hazardous decomposition products in case of fire : Toxic fumes may be released. fume. 5.3. Advice for firefighters Firefighting instructions : Move containers away from the fire area if this can be do water spray or fog for cooling exposed containers. Protection during firefighting : Wear fire/flame resistant/retardant clothing. Do not attem protective equipment. Self-contained breathing apparatus Evacuate unnecessary personnel. Other information : Do not allow run-off from fire fighting to enter drains or water	
Fire hazard : Flammable liquid and vapour. Hazardous decomposition products in case of fire : Toxic fumes may be released. fume. 5.3. Advice for firefighters : Move containers away from the fire area if this can be do water spray or fog for cooling exposed containers. Protection during firefighting : Wear fire/flame resistant/retardant clothing. Do not attem protective equipment. Self-contained breathing apparatus Evacuate unnecessary personnel. Other information : Do not allow run-off from fire fighting to enter drains or water	ne without risk. Keep upwind. Use
Hazardous decomposition products in case of fire : Toxic fumes may be released. fume. 5.3. Advice for firefighters : Move containers away from the fire area if this can be do water spray or fog for cooling exposed containers. Firefighting instructions : Move containers away from the fire area if this can be do water spray or fog for cooling exposed containers. Protection during firefighting : Wear fire/flame resistant/retardant clothing. Do not attem protective equipment. Self-contained breathing apparatus Evacuate unnecessary personnel. Other information : Do not allow run-off from fire fighting to enter drains or water	ne without risk. Keep upwind. Use
Firefighting instructions : Move containers away from the fire area if this can be do water spray or fog for cooling exposed containers. Protection during firefighting : Wear fire/flame resistant/retardant clothing. Do not attem protective equipment. Self-contained breathing apparatus Evacuate unnecessary personnel. Other information : Do not allow run-off from fire fighting to enter drains or water spray or for a structure drains or water spray or fog for cooling exposed containers.	ne without risk. Keep upwind. Use
Protection during firefighting water spray or fog for cooling exposed containers. Protection during firefighting Wear fire/flame resistant/retardant clothing. Do not attem protective equipment. Self-contained breathing apparatus Evacuate unnecessary personnel. Other information Do not allow run-off from fire fighting to enter drains or water spray or fog for cooling exposed containers.	ne without risk. Keep upwind. Use
SECTION 6: Accidental release measures	ater courses.
SECTION 0. ACCIDENTAL TELEASE INEASULES	
6.1. Personal precautions, protective equipment and emergency procedures	
6.1.1. For non-emergency personnel	
Emergency procedures : Ventilate spillage area. No open flames, no sparks, and r and eyes. Avoid breathing dust/fume/gas/mist/vapours/spinore	-
6.1.2. For emergency responders	
Protective equipment : Do not attempt to take action without suitable protective e refer to section 8: "Exposure controls/personal protection Emergency procedures : Evacuate area.	
6.2. Environmental precautions Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.	

For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or
	public waters. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or
	universal binding agents). Ensure adequate ventilation.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". Concerning disposal elimination after cleaning, see section 13.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Prevent aerosol formation or splashes. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	ng any incompatibilities
Technical measures Storage conditions	 Ground/bond container and receiving equipment. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Keep only in original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Gloves. Protective goggles.

Hand protection:

Chemically resistant protective gloves. Consult supplier for specific recommendations. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Breakthrough time : refer to the recommendations of the supplier

Eye protection:

tightly fitting safety goggles

Skin and body protection:


Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):





Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Environmental exposure controls:

Avoid release to the environment.

Consumer exposure controls:

Do not eat, drink or smoke during use. Take off immediately all contaminated clothing. Always wash hands after handling the product. Avoid contact with skin and eyes.

Other information:

Keep away from food, drink and animal feedingstuffs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Colour Odour Odour threshold pH Relative evaporation rate (butylacetate=1) Melting point Freezing point Boiling point Flash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas) Vapour pressure Relative vapour density at 20 °C Relative density Solubility Partition coefficient n-octanol/water (Log Pow) Viscosity, kinematic Viscosity, dynamic Explosive properties Oxidising properties Explosive limits		iquid lo data available lo data available
--	--	---

9.2. Other information

. -1:--**.**:..

No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Flammable liquid and vapour.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
No dangerous reactions known under normal conditions of use.	
10.4. Conditions to avoid	
Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.	
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition products	

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH) with		
SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	Not classifiedNot classifiedNot classified	
alpha-Pinene (80-56-8)		
LD50 oral	500 mg/kg bodyweight	
ATE CLP (oral)	500 mg/kg bodyweight	
delta-3-Carene (13466-78-9)		
LD50 oral	4800 mg/kg bodyweight	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	1.5 mg/l/4h	
ATE CLP (oral)	4800 mg/kg bodyweight	
ATE CLP (gases)	4500 ppmv/4h	
ATE CLP (vapours)	11 mg/l/4h	
ATE CLP (dust,mist)	1.5 mg/l/4h	
Borneol (507-70-0)		
LD50 oral	2500 mg/kg bodyweight	
ATE CLP (oral)	2500 mg/kg bodyweight	
Geraniol (106-24-1)		
LD50 oral	3600 mg/kg bodyweight	
ATE CLP (oral)	3600 mg/kg bodyweight	
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	 Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Not classified Not classified 	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
SECTION 12: Ecological information		
Ecology - general	: Very toxic to aquatic life with long lasting effects.	
Hazardous to the aquatic environment, short-term	: Very toxic to aquatic life.	
(acute)	· Very toxic to aquatic life with long lasting effects	

Not rapidly degradable

Additional information

(chronic)

Hazardous to the aquatic environment, long-term

: Very toxic to aquatic life with long lasting effects.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	

13.1. Waste treatment methods	
Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Prevent entry to sewers and public waters.
Product/Packaging disposal recommendations	: Do not dispose of with domestic waste.
Additional information	: Flammable vapours may accumulate in the container.

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
, 1 211				
14.1. UN number				
UN 1272	UN 1272	UN 1272	UN 1993	UN 1993
14.2. UN proper shippir	ng name			
FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.	Flammable liquid, n.o.s.	FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.
Transport document desc	ription			
UN 1272 FLAMMABLE LIQUID, N.O.S., 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1272 FLAMMABLE LIQUID, N.O.S., 3, III, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1272 Flammable liquid, n.o.s., 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard	class(es)			
3	3	3	3	3
14.4. Packing group		· · · · · · · · · · · · · · · · · · ·		
			111	Ш

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4.5. Environmental hazards				
Dangerous for the environment : Yes Dangerous for the environment : Yes Marine pollutant : Yes	es	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
lo supplementary information available	1			
4.6. Special precautions for user				
Overland transport				
Classification code (ADR)	: F1			
pecial provisions (ADR)	: 274, 0	501		
imited quantities (ADR)	: 51			
xcepted quantities (ADR)	: E1			
acking instructions (ADR)		, IBC03, LP01, R001		
pecial packing provisions (ADR)	: PP1			
lixed packing provisions (ADR)	: MP19)		
ortable tank and bulk container instructions (ADR)				
ortable tank and bulk container special provisions	: TP1,	129		
ADR)				
ank code (ADR)	: LGBF			
ehicle for tank carriage	: FL : 2			
ransport category (ADR) pecial provisions for carriage - Packages (ADR)	: 3 : V12			
pecial provisions for carriage - Packages (ADR) pecial provisions for carriage - Loading, unloading				
nd handling (ADR)	J . UVI3			
pecial provisions for carriage - Operation (ADR)	: S2			
azard identification number (Kemler No.)	: 30			
Drange plates	:	20		
	-	30		
	1	272		
		272		
unnel restriction code (ADR)	: D/E			
ransport by sea				
pecial provisions (IMDG)	: 223, 2	274, 955		
imited quantities (IMDG)	: 5 L			
xcepted quantities (IMDG)	: E1			
Packing instructions (IMDG)	: LP01	, P001		
pecial packing provisions (IMDG)	: PP1			
BC packing instructions (IMDG)	: IBC0	3		
ank instructions (IMDG)	: T4			
ank special provisions (IMDG)	: TP1,	TP29		
mS-No. (Fire)	: F-E			
mS-No. (Spillage)	: S-E			
towage category (IMDG)	: A			
ir transport	-			
CA Excepted quantities (IATA)	: E1			
CA Limited quantities (IATA)	: Y344			
CA limited quantity max net quantity (IATA)	: 10L			
CA packing instructions (IATA)	: 355 : 60L			
CA max net quantity (IATA) AO packing instructions (IATA)	: 60L : 366			
AO max net quantity (IATA)	: 300 : 220L			
pecial provisions (IATA)	: 220L			
RG code (IATA)	: 3L			
nland waterway transport				
lassification code (ADN)	: F1			
pecial provisions (ADN)	: 274, 0	501		
imited quantities (ADN)	: 5 L			
xcepted quantities (ADN)	: E1			
carriage permitted (ADN)	: T			
quipment required (ADN)	: PP, E	· \/ A		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ventiletion (ADN)	· \/E01	
Ventilation (ADN)	: VE01	
Number of blue cones/lights (ADN)	: 0	
Rail transport		
Classification code (RID)	: F1	
Special provisions (RID)	: 274, 601	
Limited quantities (RID)	: 5L	
Excepted quantities (RID)	: E1	
Packing instructions (RID)	: P001, IBC03, LP01, R001	
Special packing provisions (RID)	: PP1	
Mixed packing provisions (RID)	: MP19	
Portable tank and bulk container instructions (RID)	: T4	
Portable tank and bulk container special provisions	: TP1, TP29	
(RID)		
Tank codes for RID tanks (RID)	: LGBF	
Transport category (RID)	: 3	
Special provisions for carriage – Packages (RID)	: W12	
Special provisions for carriage - Loading, unloading	: CW13, CW31	
and handling (RID)		
Colis express (express parcels) (RID)	: CE4	
Hazard identification number (RID)	: 30	

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Fir needle oil, Siberian is not on the REACH Candidate List

Fir needle oil, Siberian is not on the REACH Annex XIV List

Fir needle oil, Siberian is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals.

Fir needle oil, Siberian is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:				
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways			Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road			
ATE	Acute Toxicity Estimate			
BCF	Bioconcentration factor			
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008			
DMEL	Derived Minimal Effect level			
DNEL	Derived-No Effect Level			
EC50	Median effective concentration			
IARC	International Agency for Research on Cancer	-		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TLM	Median Tolerance Limit
vPvB	Very Persistent and Very Bioaccumulative

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Supplier's safety documents. ECHA (European Chemicals Agency).

: Normal use of this product shall imply use in accordance with the instructions on the packaging.

Training advice

Full text of H- and EUH-statements: Acute Tox. 4 (Inhalation) Acute toxicity (inhal.), Category 4 Acute Tox. 4 (Inhalation:dust,mist) Acute toxicity (inhalation:dust,mist) Category 4 Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4 Aquatic Acute 1 Hazardous to the aquatic environment - Acute Hazard, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment - Chronic Hazard, Category 1 Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 2 Aquatic Chronic 3 Hazardous to the aquatic environment - Chronic Hazard, Category 3 Aquatic Chronic 4 Hazardous to the aquatic environment — Chronic Hazard, Category 4 Aspiration hazard, Category 1 Asp. Tox. 1 Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flammable liquids, Category 3 Flam. Liq. 3 Flam. Sol. 1 Flammable solids, Category 1 Flam. Sol. 2 Flammable solids, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 Skin Sens. 1B Skin sensitisation, category 1B H226 Flammable liquid and vapour.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H228	Flammable solid.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	7
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	

SDS EU (REACH Annex II)

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable